## "FULL SERVICE IN PLACE "

## offers you many advantages



## FSIP – "Full Service in Place"

The FSIP concept was presented for the first time at the launch of the TORNADO® T2 at IFAT 2012 and immediately caused excitement, because it set a new standard in terms of service and maintenance friendliness. "TORNADO® rotary lobe pumps are particularly service and maintenance friendly. All wetted parts are immediately accessible without dismantling any pipework or the drive. You have quick and easy access to the pump chamber right up to the flange mounting, because you can open the whole front of the TORNADO® T2."

"Servicing is simple; no special tool is required. Compared to traditional rotary lobe pumps, the TORNADO® T2 can be serviced in less than half the time."

"The rotary lobes can be replaced in next to no time, because the lobes are not screwed onto the shaft, but fixed with accessible taper lock ringsets."

> "You no longer need to make sure the keys are properly seated, and there is no axial adjustment work needed on the rotary lobes either. It is child's play to do this with our rotor setting device which is integrated into the front cover."





Those operators who use pumps in high-wear applications are particularly well aware of how important service and maintenance friendliness is. Every time the installer's workload is lessened, additional work steps are avoided and maintenance time is reduced, this enables savings in terms of capacities and costs.



We presented the first NEMO<sup>®</sup> progressing cavity pump with the FSIP<sup>TM</sup> concept at ACHEMA 2015. Now, you can fully service this pump while it is installed. With the FSIP<sup>TM</sup> model NEMO<sup>®</sup> pump, quick and easy access is provided by opening an inspection cover through which you disconnect the rotor-stator unit from the coupling rod and simply lift it out. Subsequently, the remaining rotating unit can be removed and the pump is open from flange to flange.

The NEMO<sup>®</sup> FSIP<sup>™</sup> pump is staying ahead of the game in another way; the pump housing can be opened in next to no time without any special tools. All wear parts are accessible and can be replaced in less than half the time.





The pump's installation envelope has been reduced, since additional "service length" beyond the end of the pump is now unnecessary to remove the stator. With the NEMO® FSIP™ pump, the conveyance geometry remains unchanged, so there is no difference in comparison to the conventional pump in terms of volume conveyed and pressure. All currently installed NEMO® pumps, starting with the NM045 size and up, can be upgraded to the FSIP™ version without a problem.





ETZSENICO

The NETZSCH Group is a mid-sized, family-owned German company engaging in the manufacture of machinery and instrumentation with worldwide production, sales and service branches.

The three Business Units – Analyzing & Testing, Grinding & Dispersing and Pumps & Systems – provide tailored solutions for highest-level needs. Over 3,500 employees at 210 sales and production centers in 35 countries across the globe guarantee that expert service is never far from our customers.

The NETZSCH Business Unit Pumps & Systems offers NEMO® progressing cavity pumps, TORNADO® rotary lobe pumps, NOTOS™ multiple screw pumps, macerators/ grinders, dosing systems and equipment custom built and challenging solutions for different applications globally.

NETZSCH Pumps & Systems – Solutions you can trust

NETZSCH Pumps North America, LLC 119 Pickering Way Exton, PA 19341 USA Phone: 610 363-8010 Fax: 610 363-0971

E-mail: npa@netzsch.com

NETZSCH Canada, Incorporated 500 Welham Road Barrie, ON L4N 8Z7 Canada Phone: 705 797-8426 Fax: 705 797-8427

E-mail: ntc@netzsch.com

